

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION  
RELATED TO A MACHINE

Applicant: Gregory J. Falada et al.  
Atty Docket No.: 00-450





FIG - 2



2/33

FIG - 3




FIG - 5




FIG - 6





FIG - 10



3/33

FIG - 4

The screenshot displays a software window titled "Search Equipment - Caterpillar Product Link System". The window features a menu bar with "File", "Edit", "View", "Tasks", and "Help". Below the menu bar is a toolbar containing icons for a printer, a magnifying glass, a plus sign, a document, a question mark, and a search icon. The main content area is divided into two columns. The left column, labeled "Equipment" (422), contains five dropdown menus: "Make" (424) with "ALL" selected, "Model" (426), "Serial" (428), and "Unit" (428). The right column, labeled "Distance" (432), contains three dropdown menus: "State" (434), "City" (436), and "Distance" (436). Below these columns are two status sections. The "Rental Status" (412) section includes a "Rented" checkbox (438) which is checked, and a "Not Rented" checkbox (440) which is unchecked. The "Registration Status" (414) section includes a "Registered" checkbox (442) which is checked, and a "Deregistered" checkbox (444) which is unchecked. A "Find" button (420) is located to the right of the status sections. A "Ready" status indicator is at the bottom right of the window. The entire interface is labeled 400.

4/33

FIG - 7

702	View
704	✓ Toolbar
706	✓ Status Bar
708	View Registry Ctrl+R
710	View Grief Ctrl+G
712	View Service Meter Adjustments Ctrl+J
714	View System Tables Ctrl+Y
	View Product Watch Ctrl+W

FIG - 8

802	✓ Search Equipment Ctrl+Q
804	Send Commands Ctrl+N
806	Reports Ctrl+O
808	Working with Targets Ctrl+T
810	Working with Event Reactions Ctrl+E
812	Working with Diagnostic Reactions Ctrl+D
814	Working with Level Reactions Ctrl+L
816	Working with Alarm Reactions Ctrl+A
818	Working with Product Watch Descriptions Ctrl+H

800

FIG - 9

902	Help
904	Help Topics
906	View Manual Ctrl+M
900	About CPLS Ctrl+A

Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION  
RELATED TO A MACHINE

Applicant: Gregory J. Falada et al.

Atty Docket No.: 00-450

FIG - 11

5/33

The image shows a software window titled "Search Results" with a table of vehicle data and several control buttons. The table has columns for Make, Model, Serial, Unit, Date / Time, SMU, Fuel, and Location. The data is sorted by Date / Time in descending order. Below the table are buttons for "View Message History", "View Event History", "Status", "Map", and "Close".

Make	Model	Serial	Unit	Date / Time	SMU	Fuel	Location
AA	D9R	8BL01064	D43000009	04/26/2000 12:26:01 PM	9063	101740	7.1 miles W of Huey
AA	CHAL35	8DN00525	H39000018	04/26/2000 12:21:36 PM	3962		19.7 miles W of Del
AA	D5C	6CS00467	B19000011	04/26/2000 12:18:20 PM	982		3.9 miles S of Newa
AA	CHAL65C	2ZJO2409	H39000025	04/26/2000 12:07:14 PM	2812		2.5 miles N of Santa
AA	D6X	AAAX00006	EAE100000	04/26/2000 12:06:43 PM	374		19.4 miles W of Hob
AA	D5M	6GN01196	B19000024	04/26/2000 12:04:27 PM	506		8.1 miles NW of Alle
AA	416C	4ZN17140	E25000001	04/26/2000 11:58:33 AM	196		3.4 miles NW of Der
AA	973	66G00646	N02000000	04/26/2000 11:53:47 AM	3111		7.8 miles W of Missi
AA	D6MXB	ALH00002	EAE100004	04/26/2000 11:51:55 AM	107		30.3 miles E of Farm
AA	CHAL45	1DR01733	H39000021	04/26/2000 11:50:47 AM	1169		22.3 miles SW of Ma
AA	CHAL45	1DR01740	H39000031	04/26/2000 11:45:56 AM	1956		2.3 miles S of Salina
AA	CHAL65C	2ZJO2434	H39000021	04/26/2000 11:44:36 AM	1848		12.6 miles SW of Le
AA	776D	2YW000094	E35000006	04/26/2000 11:37:48 AM	10863	232819	10.7 miles NW of Fa
AA	CHAL85C	9TK01973	H39000034	04/26/2000 11:23:29 AM	3094		1.5 miles NW of Sel
AA	315B	3AW01389	H18000002	04/26/2000 11:18:17 AM	954		4.2 miles E of Vancor
AA	CHAL65C	2ZJO2519	H39000047	04/26/2000 11:16:47 AM			22.5 miles SW of Mt
AA	970F	7SK01017	N02000001	04/26/2000 11:07:06 AM	2150		9.6 miles S of Auror
AA	CHAL75D	5AR00544	H39000043	04/26/2000 11:04:56 AM			5.0 miles NW of Hol
AA	325B L	6DN00820	D10000002	04/26/2000 11:01:20 AM	805		1.3 miles E of Salen

Buttons: View Message History, View Event History, Status, Map, Close

FIG - 12

6/33

1202

1204

1224

1206

1246

1200

1218

1220

1222

1214

1210

1242

1244

1240

1238

1236

1234

1232

1230

1228

1226

Message History

Make AA 1208

Model 1212

Testmod 1214

Unit EAE100037 1244

Serial PL2010FFBDTST14 1240

Viewing 1 <<Back >>More>>

Date / Time	SMU	Fuel	Location
04/13/2000 08:35:48 AM			2.7 miles N of Peoria, IL
04/13/2000 08:34:57 AM	431		
04/13/2000 08:03:11 AM	431		2.7 miles N of Peoria, IL
04/13/2000 08:03:11 AM			2.6 miles N of Peoria, IL
04/12/2000 01:54:01 PM			2.7 miles N of Peoria, IL
04/12/2000 07:52:43 AM			2.7 miles N of Peoria, IL
04/12/2000 01:52:43 AM			2.7 miles N of Peoria, IL
04/11/2000 07:53:44 PM	260310		
04/11/2000 07:53:24 PM			2.7 miles N of Peoria, IL
04/11/2000 02:01:15 PM			2.7 miles N of Peoria, IL
04/11/2000 08:12:35 AM			2.7 miles N of Peoria, IL
04/11/2000 01:55:31 AM			2.7 miles N of Peoria, IL
04/10/2000 07:53:11 PM	431		
04/10/2000 07:52:50 PM			2.7 miles N of Peoria, IL

☒ Status ☒ Location ☒ SMU ☒ Fuel

"Fuel" is a calculated value to be used as a service indicator only.  
This value is NOT to be used in economy of performance measurements.

Close

7/33

FIG - 13

1302

1304

1318

1316

1322

1344

1306

1348

1300

1308

1310

1312

1314

1336

1338

1340

1320

1342

1324

1330

1332

1328

1346

Event History

Make AA 1308

Model 1310

Unit 1312

Serial 1334

PL201OFFBDTST14 1336

EAE100037 1340

Testmod 1314

Viewing 1 20

<<Back More>>

Level	Date / Time	Description	Module	Fault Codes	Occurrences
1	04/20/2000 03:13:56 PM	PL-201 Product Watch Exclusive Alarm	122	Alarm	0
1	04/20/2000 03:13:56 PM	PL-201 Product Watch Time Alarm	122	Alarm	0
2	04/18/2000 10:13:58 AM	Digital Input 1	122	EID:00630	0
1	04/18/2000 10:12:06 AM	Fuel Filter Restriction Warning	033	EID:00095	255
2	04/18/2000 10:12:06 AM	Engine Oil Pressure short to ground	033	CID:00100,FMI:004	2
2	04/18/2000 10:12:06 AM	Engine Oil Pressure open/short to +batt	033	CID:00289,FMI:003	2
2	04/18/2000 10:12:06 AM	Unfiltered Fuel Pressure open/short to +batt	033	CID:00273,FMI:003	2
2	04/18/2000 10:12:06 AM	Turbo Outlet Pressure open/short to +batt	033	CID:00342,FMI:003	2
2	04/18/2000 10:12:06 AM	Secondary Engine Speed open/short to +batt	033	CID:00091,FMI:008	2
2	04/18/2000 10:12:06 AM	Throttle Position signal abnormal	033	EID:00101	78
2	04/18/2000 10:11:56 AM	High Crankcase Pressure Warning	033	CID:00101,FMI:003	2
2	04/18/2000 10:11:56 AM	Crankcase Pressure open/short to +batt	033	CID:00542,FMI:004	2
2	04/18/2000 10:11:56 AM	Unfiltered Engine Oil Pressure short to ground	033	CID:00828,FMI:004	2
2	04/18/2000 10:11:56 AM	Right Exhaust Temperature short to ground	033	CID:00827,FMI:004	2
2	04/18/2000 10:11:56 AM	Left Exhaust Temperature short to ground	033	CID:00827,FMI:004	2

☒ Events ☒ Diagnostics ☒ Alarms

Request Update

Close

FIG - 14

Make	Model	Serial	Unit	Date / Time	Power Loss	Satellite Blocked	Active
AA	CHAL55	7DM01494	H39000037	04/26/2000 12:52:36 PM			No
AA	CHAL55	AEN00410	H39000042	04/26/2000 12:50:41 PM			No
AA	CHAL35	8DN00372	H39000029	04/26/2000 12:49:35 PM			No
AA	D250E	5TN01156	B19000009	04/26/2000 12:39:29 PM			No
AA	D9R	8BL01064	D43000009	04/26/2000 12:39:09 PM	Yes	No	No
AA	CHAL35	8DN00525	H39000018	04/26/2000 12:21:36 PM			No
AA	D5C	6CS00467	B19000011	04/26/2000 12:18:20 PM			No
AA	CHAL65C	2ZJ02409	E25000001	04/26/2000 12:07:14 PM			No
AA	D6X	AAX00006	N02000000	04/26/2000 12:06:43 PM	No	No	No
AA	D5M	6GN01196	EAE100004	04/26/2000 12:04:27 PM	No	No	No
AA	416C	4ZN17140	B19000024	04/26/2000 11:58:33 AM			No
AA	973	66G00646	E25000001	04/26/2000 11:53:47 AM			No
AA	D6MXB	ALH00002	EAE100004	04/26/2000 11:51:55 AM	No	No	No
AA	CHAL45	1DR01733	H39000005	04/26/2000 11:50:47 AM			No
AA	CHAL45	1DR01740	H39000031	04/26/2000 11:45:56 AM			No
AA	CHAL65C	2ZJ02434	H39000021	04/26/2000 11:44:36 AM			No
AA	776D	2YW00094	E35000006	04/26/2000 11:37:48 AM	No	No	No
AA	CHAL85C	9TK01973	H39000034	04/26/2000 11:23:29 AM			No

View Message History

View Event History

Close



FIG - 15

9/33

1502

1504

1506

1522

1524

1526

1528

1500

Status History

Make AAI 1508

Model Testmod 1510

Unit EAE100037 1514

Serial PL2010FFBDTST14 1512

Viewing 1 1520

To 42

<<Back

More>>

Date / Time	Power Loss	Satellite Blocked	Active	Alarm	Event Pending	Power Mode	Digital #1 Active
04/20/2000 03:13:56 PM	No	No	Yes	Yes			
04/18/2000 10:13:58 AM	No	No	No	No	Yes	1	Yes
04/18/2000 10:10:41 AM			No	No			
04/18/2000 10:07:20 AM			No	No			
04/14/2000 09:21:23 AM	No	No	No	No	No	1	No
04/14/2000 09:16:12 AM			No	No			
04/13/2000 09:55:59 AM	No	No	No	No	No	1	No
04/13/2000 09:14:30 AM	No	No	No	No	No	1	No
04/13/2000 08:38:09 AM	Yes	No	No	No	No	1	Yes
04/13/2000 08:34:57 AM	Yes	No	No	No	No	1	No
04/13/2000 08:03:11 AM			No	No			
04/11/2000 07:53:44 PM	No	No	Yes	No			
04/10/2000 07:53:11 PM	No	No	Yes	No	No	1	Yes

Close

10/33

FIG - 16

Product Watch Details For 1A12105 - EAE100015 - 143H - AA

Inclusive

Active : No  
Alarm : No  
Latitude : N 40 44.48333  
Longitude : W 089 29.35000  
Radius : 1 Miles  
Start Time : Start Immediately  
End Time : Never End  
Description : PPG Shop Vicinity - Test case

Exclusive

Active : Yes  
Alarm : No  
Position(1)  
-Latitude : N 40 47.05000  
-Longitude : W 089 36.55000  
-Radius : Start Immediately  
-Description : 1 Miles  
: Hale Road Exclusion

Time

Active : Yes  
Alarm : No  
Week Days : Mon, Tues, Wed, Thr, Fri,  
Start Time : 05:00 AM  
End Time : 10:00 AM  
Description : MG Time Based Running Te

Close

FIG - 16

FIG - 17

11/33

1702

1710

1712

1714

1704

1716G

1716H

1716I

1716J

1716K

1716L

1716F

1716E

1716D

1716C

1716B

1716A

1708

1706

406

1726

400

1724

1722

1720

408

Send Commands - Caterpillar Product Link System

File Edit View Tasks Help

Equipment

Make

Model

Serial

Unit

ALL

EDWARDS3

EAE100036

Command Type

Query for Location

Query for SMU

Query for Fuel

Query for Status

Query for Event

Query for Product Watch

Billing Deactivation

Billing Reactivation

Registration Request

Forced Deregistration

Deregistration

Clear Events

Queue Commands

Make	Model	Serial	Unit	Command Type
AA	143H	1A12105	EAE100015	Query for Location
AA	CHAL45	1DR01704	H39000004	Query for SMU
AA	CHAL45	1DR01734	H39000006	Query for SMU
AA	776D	2YW00093	E35000005	Query for Event
AA	Testmod	EDWARDS3	EAE100036	Query for product Watch
AA	Testmod	EDWARDS3	EAE100036	Query for Event
AA	Testmod	EDWARDS3	EAE100036	Query for Fuel
AA	Testmod	EDWARDS3	EAE100036	Query for SMU

Commands Queued: 8

Clear

Send


Clear All

Commands Queued 8

Ready


12/33

FIG - 18




13/33

FIG - 19




14/33

FIG - 20




15/33

FIG - 21



16/33


FIG - 22





Applicant: Gregory J. Falada et al.  
Atty Docket No.: 00-450

FIG - 23



18/33

FIG - 24

Event Reactions - Caterpillar Product Link System

File Edit View Tasks Help

Equipment

Make AA Model Serial Unit

Function

Add Reaction Change Reaction Delete Reaction(s)

View

Events Diagnostics Alarms Levels

Make	Model	Serial	Unit	Event	Target
AA	CHAL35	8DNO0867	ID-000162	Engine Oil Pressure High Shutdown	Log to File
AA	CHAL55	7DM01103	ID-000145	High Engine Oil Temperature Warning	CSA Manager's E-mail
AA	CHAL55	6HS00356	ID-000333	High Air Filter Restriction	Service Technician's Pager
AA	CHAL75E	5YN00303	ID-000250	Low Transmission Oil Pressure Warning	Rental Manager's E-mail
AA	CHAL75E	5YN00303	ID-000250	Low Engine Coolant Level Warning	Service Technician's Pager
AA	416C	5YN00303	ID-000250	Air Filter Restriction Derate	Service Technician's E-mail
AA	416C	3ZS00397	ID-000239	High Engine Oil Temperature Warning	Rental Manager's Report
AA	966G			Engine Oil Pressure High Warning	Rental Manager's Report
AA				Cylinder #2 Spark Plug Maintenance Required	Break Message (XUPCDS)

Ready


List By Make List By Make and Model List By Make Model Serial

Number of Records 9

2402 2410 2412 2414 2434 2432 2436 2438 2440 2442 2406 2422 2424 2426 2428 2430 400 402 404 406 408

19/33

FIG - 25






Title: APPARATUS AND METHOD FOR DISPLAYING INFORMATION  
RELATED TO A MACHINE

Applicant: Gregory J. Falada et al.  
Atty Docket No.: 00-450


21/33

FIG - 27



22/33

FIG - 28



23/33

FIG - 29

2802

2810

2812

2814

2804

2816

2818

2820

2822

2824

2826

2828

2830

2832

2834

2836

2800

406

408

400

View Registry - Caterpillar Product Link System

File Edit View Tasks Help

Equipment

Make [ALL]

Model

Serial

Unit

Find

General

Transmission

Digital

PL101

Viewing

1

To 18

<<Back

More>>

Configuration

Clear All

Make	Model	Serial	Unit	Level 1	Level 2	Level 3	Diagnostic	Event Interval	Mess
AA	CHAL75E	6HS00365	ID-000329	Never	Next	Immediate	Immediate	20	168
AA	CHAL85E	6JS00400	ID-000330	Never	Next	Immediate	Immediate	20	168
AA	CHAL75E	6HS00363	ID-000328	Never	Next	Immediate	Immediate	20	168
AA	CHAL75E	6HS00356	ID-000333	Never	Next	Immediate	Immediate	20	168
AA	CHAL75E	6HS00366	ID-000335	Never	Next	Immediate	Immediate	20	168
AA	CHAL95E	6KS00476	ID-000336	Never	Next	Immediate	Immediate	20	168
AA	CHAL75E	6HS00353	ID-000334	Never	Next	Immediate	Immediate	20	168
AA	627F	1DL00400	ID-000338	Immediate	Immediate	Immediate	Immediate	20	168
AA	CHAL95E	6KS00474	ID-000345	Never	Next	Immediate	Immediate	20	168

Ready

Number of Records 18

24/33

FIG - 30

402 View Registry - Caterpillar Product Link System  
File Edit View Tasks Help

404

2802

2810

2812

2814

2808

2804

2816

2818

2820

2822

2824

2826

2830

2834

2836

2800

406

408

400

Ready


Number of Records 18

Make	Model	Serial	Unit	Type 1	Delay 1	Description 1	Type 2	De
AA	CHAL75E	6HS00365	ID-000329	Not Configured	0		Not Configured	0
AA	CHAL85E	6JS00400	ID-000330	Not Configured	0		Not Configured	0
AA	CHAL75E	6HS00363	ID-000328	Not Configured	0		Not Configured	0
AA	CHAL75E	6HS00356	ID-000333	Open	10	Digital #1 Sensor	Closed	20
AA	CHAL75E	6HS00366	ID-000335	Not Configured	0		Not Configured	0
AA	CHAL95E	6KS00476	ID-000336	Not Configured	0		Not Configured	0
AA	CHAL75E	6HS00353	ID-000334	Not Configured	0		Not Configured	0
AA	627F	1DL00400	ID-000338	Not Configured	0		Not Configured	0
AA	CHAL95E	6KS00474	ID-000345	Not Configured	0		Not Configured	0



25/33

FIG - 31



Applicant: Gregory J. Falada et al.

Atty Docket No.: 00-450

26/33

FIG - 32

**View Service Meter Adjustments - Caterpillar Product Link System**

File Edit View Tasks Help

Equipment

Make ALL

Model

Serial

Unit

Viewing

From 1 To 11

<<Back

Find

More>>

Clear All


Make	Model	Serial	Unit	Date / Time	Before	After
AA	953C	2ZN01183	ID-000340	12/10/1999 11:49:31 AM	0	1592
AA	D6M	4JN01475	ID-000341	12/03/1999 10:06:23 AM	1014	1021
AA	D6M	4JN01475	ID-000341	12/03/1999 09:22:43 AM	10	1013
AA	D5C	6CS00467	ID-000337	12/01/1999 11:59:23 AM	612	611
AA	330BL	6DR01746	ID-000263	10/01/1999 05:48:36 AM	0	0
AA	CHAL45	1DR01734	ID-000153	09/16/1999 04:50:23 PM	838	267
AA	CHAL35	8DN00524	ID-000160	09/16/1999 10:30:44 AM	2697	2135
AA	CHAL45	1DR00767	ID-000149	09/16/1999 10:21:35 AM	2966	268
AA	CHAL35	8DN00502	ID-000158	09/15/1999 01:40:47 PM	3981	1917
AA	CHAL35	8DN00504	ID-000146	09/15/1999 12:14:50 PM	2169	1

Number of Records 11

Ready

27/33

FIG - 33



28/33

FIG - 34




FIG - 35

FIG - 35 is a screenshot of a "Setup-Change Product Watch" dialog box. The dialog box has a title bar with a close button (3504) and a maximize button (3506). The main content area (3508) is divided into three tabs: "Product Watch Inclusive" (3512), "Product Watch Exclusive" (3514), and "Product Watch Time" (3516). The "Product Watch Inclusive" tab is currently selected.

Under the "Product Watch Inclusive" tab, there is a "Select Position" section (3518) with input fields for Latitude (3520), Longitude (3521), and Radius (3522) in Miles. Below this is a "Load" button (3524). To the right of the "Select Position" section is a "Start Date" section (3510) with dropdown menus for Month (April), Day (26), and Year (2000), and radio buttons for "Start Immediately" and "AM/PM" (PM is selected). Below the "Start Date" section is an "End Date" section (3516) with similar dropdown menus and radio buttons for "Never End" and "AM/PM" (PM is selected).

Below the "Select Position" and "Start/End Date" sections is a "Product Watch Description:" section (3526) containing a table with columns "Description", "Latitude", "Longitude", and "Radius". The table lists several locations and their corresponding coordinates and radii.

At the bottom of the dialog box are two buttons: "Queue" (3528) and "Cancel" (3530).

Description	Latitude	Longitude	Radius
Springfield, IL Airport	N 39 50.98333	W 089 40.98333	5 mile
Main Store	N 39 27.93333	W 089 22.18333	10 mile
Brach Store	N 39 24.80000	W 089 17.25000	10 mile
Customer Main Site	N 39 27.83333	W 089 26.31667	7 mile
Customer Off Site	N 39 25.71667	W 089 23.60000	7 mile
Customer Digging Site	N 39 24.73333	W 089 21.16667	5 mile
Customer Home	N 39 25.33333	W 089 21.85000	2 mile

30/33

FIG - 36

3504

3506

3508

3602

3604

3606

3500

3524

3526

3608

3610

3612

3600

Product Watch Inclusive

Product Watch Exclusive

Product Watch Time

Select Position

Latitude

Longitude

Radius

Miles

>>

Latitude

Longitude

Radius

Delete

Load

Product Watch Description:

Description	Latitude	Longitude	Radius
Springfield, IL Airport	N 39 50.98333	W 089 40.98333	5 mile
Main Store	N 39 27.93333	W 089 22.18333	10 mile
Brach Store	N 39 24.80000	W 089 17.25000	10 mile
Customer Main Site	N 39 27.83333	W 089 26.31667	7 mile
Customer Off Site	N 39 25.71667	W 089 23.60000	7 mile
Customer Digging Site	N 39 24.73333	W 089 21.11667	5 mile
Customer Home	N 39 25.33333	W 089 21.85000	2 mile

Queue

Cancel

31/33

FIG - 37

3504

3506

3508

**Setup-Change Product Watch**

Product Watch Inclusive | Product Watch Exclusive | Product Watch Time

3702

Days

☐ Monday ☐ Tuesday ☐ Wednesday ☐ Thursday ☐ Friday ☐ Saturday ☐ Sunday

Clear

Working Hours

Start Time 00:00 AM PM

End Time 00:00 AM PM

Clear

Load

3708

3700

Product Watch Description:

Description	Start Time	End Time	Days
Working Hours for M...	07:00:00 AM	11:00:00 PM	Mon - Tue - Wed - Thr - Fri
Main Store Hours	08:00:00 AM	05:00:00 PM	Mon - Tue - Wed - Thr - Fri
Weekend Hours	01:00:00 PM	00:00:00 AM	Sat - Sun
Working Hours for B...	06:00:00 AM	06:00:00 PM	Mon - Tue - Wed - Thr - Fri - Sat
Customer Work Hour...	07:00:00 AM	06:00:00 PM	Mon - Tue - Wed - Thr - Fri
Branch Store Hours	08:00:00 AM	06:00:00 AM	Mon - Tue - Wed - Thr - Fri

3706

3524

Queue

3526

Cancel

3500

FIG - 38

Product Watch Details For 1DL00400 - ID-000338 - 627F - AA

Inclusive

Exclusive

Time

Active : No

Alarm : No

Latitude : N 39 43.43333

Longitude : W 089 39.55000

Radius : 2 Miles

Start Time : Start Immediately

End Time : Never End

Description : Customer Off Site

3802

Active : Yes

Alarm : Yes

Week Days : Mon, Tues, Wed, Thr, Fri,

Start Time : 07:00 AM

End Time : 06:00 AM

Description : Customer Work Hours

3806

Active : Yes

Alarm : Yes

Position(1)

-Latitude : N 39 85.61667

-Longitude : W 089 68.50000

-Radius : 1 Miles

-Description : Springfield, IL Airport

Position(2)

-Latitude : N 39 42.36667

-Longitude : W 089 36.68333

-Radius : 2 Miles

-Description : Customer Home

Position(3)

-Latitude : N 39 46.91667

-Longitude : W 089 37.61667

-Radius : 10 Miles

-Description : Main Store

3804

<< Backward

Forward >>

Close



33/33

**Product Watch Description - Caterpillar Product Link System**

File Edit View Tasks Help

Inclusive / Exclusive Time

Latitude Longitude Radius Description

Description	Latitude	Longitude	Radius
Springfield, IL Airport	N 39 50.98333	W 089 40.98333	5 mile
Main Store	N 39 27.93333	W 089 22.18333	10 mile
Brach Store	N 39 24.80000	W 089 17.25000	10 mile
Customer Main Site	N 39 27.83333	W 089 26.31667	7 mile
Customer Off Site	N 39 25.71667	W 089 23.60000	7 mile
Customer Digging Site	N 39 24.73333	W 089 21.11667	5 mile
Customer Home	N 39 25.33333	W 089 21.85000	2 mile

Ready Number of Records: 7